

TOP HANGING SLIDING DOOR SYSTEM

Top hanging sliding door catalogue



“Excellent sliding experience for wardrobe cabinet ”

Doors fully cover the cabinet to make a clear visual to your room, CEMUX Top Hanging Sliding Door supply different options for most doors in various size and weight.



Top hanging system

SWT003



SW sliding system


Top hanging sliding system - SWT003




- Top hanging sliding system
- Soft-close system
- 80KG/door loading capacity
- Damper with anti jumping and anti-decoupling
- 700-1500mm door width
- 16-46mm door thickness
- Door height ≤2500mm




	Item	Quantity (2 doors)		Quantity (3 doors)	
		Single side soft-close	Double soft-close	Double soft-close	Triple soft-close
	Left upper runner for outside door	1 pc	1 pc	1 pc	1 pc
	Right upper runner for outside door	1 pc	1 pc	1 pc	1 pc
	Left upper runner for inside door	1 pc	1 pc	2 pcs	2 pcs
	Right upper runner for inside door	1 pc	1 pc	2 pcs	2 pcs
	Lower runner for outside door	2 pcs	2 pcs	2 pcs	2 pcs
	Lower runner for inside door	2 pcs	2 pcs	4 pcs	4 pcs
	Upper damper	2 pcs	4 pcs	4 pcs	6 pcs
	Lower damper	2 pcs	4 pcs	4 pcs	4 pcs
	Upper stopper	2 pcs	4 pcs	4 pcs	4 pcs
	Anti pinch device	1 pc	1 pc	2 pcs	2 pcs
	Anti collide stopper	0 pc	0 pc	0 pc	1 pc
	Position template	1 pc	1 pc	1 pc	1 pc
Item No.		SWT003-1	SWT003-2	SWT003-3	SWT003-4

	Item	Item No.	Remark
	Upper and lower rail	SWT03-R	3000mm length;

Space required




Space required



Installation dimension of doors

Single side soft close for 2 doors




T: Thickness of side panel

KB: Cabinet width


F: Thickness of front panel

$K1=K+F+8$


Double soft close for 2 doors



Double soft close for 3 doors



Triple soft close for 3 doors



Top hanging system

SWT004



SW sliding system


Top hanging sliding system - SWT004




- Top hanging sliding system
- Soft-close system
- 50KG/door loading capacity
- Damper with anti jumping and anti-decoupling
- 700-1500mm door width
- 16-20/21-25mm door thickness
- Door height ≤2500mm




	Item	Quantity (2 doors)		Quantity (3 doors)
		Single side soft-close	Double soft-close	Double soft-close
	Upper runner for outside door	2 pcs	0 pc	0 pc
	Upper runner for outside door with level	0 pc	2 pcs	2 pcs
	Left upper runner for inside door	1 pc	1 pc	2 pcs
	Right upper runner for inside door	1 pc	1 pc	2 pcs
	Lower runner for outside door	2 pcs	2 pcs	2 pcs
	Lower runner for inside door	2 pcs	2 pcs	4 pcs
	Left upper damper	1 pc	2 pcs	2 pcs
	Right upper damper	1 pc	2 pcs	2 pcs
	Lower damper	2 pcs	4 pcs	4 pcs
	Plastic support	2 pcs	2 pcs	4 pcs
	Fixed block	2 pcs	2 pcs	2 pcs
	Position template	1 pc	1 pc	1 pc
	Anti pinch device	1 pc	1 pc	2 pcs
	Inner stopper for outside door	1 pc	0 pc	0 pc
Item No.		SWT004-1	SWT004-2	SWT004-3

	Item	Item No.	Remark
	Upper and lower rails	SWT04-R20	3000mm length; For 16-20mm door tickness
		SWT04-R25	3000mm length; For 20-25mm door tickness


Space required






Space required



Installation dimension of doors



KB: Cabinet width
 F: Thickness of front panel
 T: Thickness of side panel
 $K1=K+31$



For more information, please visit CEMUX.COM
or contact us email CEMUX@CEMUX.CO.UK

CEMUX
LIVE YOUR LIFE

CEMUX TECHNOLOGY LTD


Kilkeary,
Nenagh,
Co. Tipperary
Ireland
Tel: 00353 67 31471