

MORE FUNCTIONALITY BALL BEARING RUNNERS - BB DRAWER SLIDES

BB drawer slides catalogue



Content

BB drawer slide

	Description	Item No.	Page
	Soft-close & Push-open Full extension; 45mm; 1.5x1.2x1.2	BB01	04-05
	Soft-close Full extension; 45mm; 1.5x1.2x1.2	BB02	06-07
	Push-open Full extension; 45mm; 1.5x1.2x1.2	BB03	08-09
	General motion Full extension; 45mm; 1.5x1.2x1.2	BB04	10-11
	Soft-close Full extension; 45mm; 1.2x1.0x1.0	BB12	12-13
	General motion Full extension; 45mm; 1.2x1.0x1.0	BB14	14-15

BB drawer slide - BB01

45mm; Full extension; Soft-close & push-open





- Material: cold-rolled steel
- Slide width: 45mm
- Slide thickness: 12.7mm
- Max load: 30 KG
- Length from 250-600mm
- Material thickness: 1.5x1.2x1.2mm

Order information


NL	Item No.	Package	Remark
250	BB01-250	10 sets	Package includes * Left & right drawer slide
300	BB01-300	10 sets	
350	BB01-350	10 sets	
400	BB01-400	10 sets	
450	BB01-450	10 sets	
500	BB01-500	10 sets	
550	BB01-550	10 sets	
600	BB01-600	10 sets	

Technical information


Installation dimensions



Drawer



Inset drawer



Legend

LW	Internal cabinet width	L	Length	SKL	Length of drawer	X	Thickness of door
NL	Nominal length	KB	Cabinet width	LT	Minimum installation depth	FEC	Front edge of cabinet

BB drawer slide - BB02

45mm; Full extension; Soft-close





- Material: cold-rolled steel
- Slide width: 45mm
- Slide thickness: 12.7mm
- Max load: 30 KG
- Length from 250-700mm
- Material thickness: 1.5x1.2x1.2mm

Order information


NL	Item No.	Package	Remark
250	BB02-250	10 sets	Package includes * Left & right drawer slide
300	BB02-300	10 sets	
350	BB02-350	10 sets	
400	BB02-400	10 sets	
450	BB02-450	10 sets	
500	BB02-500	10 sets	
550	BB02-550	10 sets	
600	BB02-600	10 sets	
650	BB02-650	10 sets	
700	BB02-700	10 sets	

Technical information


Installation dimensions



Drawer



Inset drawer



Legend

LW	Internal cabinet width	L	Length	SKL	Length of drawer	X	Thickness of door
NL	Nominal length	KB	Cabinet width	LT	Minimum installation depth	FEC	Front edge of cabinet

BB drawer slide - BB03

45mm; Full extension; Push-open





- Material: cold-rolled steel
- Slide width: 45mm
- Slide thickness: 12.7mm
- Max load: 30 KG
- Length from 250-750mm
- Material thickness: 1.5x1.2x1.2mm

Order information


NL	Item No.	Package	Remark
250	BB03-250	10 sets	Package includes * Left & right drawer slide
300	BB03-300	10 sets	
350	BB03-350	10 sets	
400	BB03-400	10 sets	
450	BB03-450	10 sets	
500	BB03-500	10 sets	
550	BB03-550	10 sets	
600	BB03-600	10 sets	
650	BB03-650	10 sets	
700	BB03-700	10 sets	

Technical information


Installation dimensions



Drawer



Inset drawer



Legend

LW	Internal cabinet width	L	Length	SKL	Length of drawer	X	Thickness of door
NL	Nominal length	KB	Cabinet width	LT	Minimum installation depth	FEC	Front edge of cabinet

BB drawer slide - BB04

45mm; Full extension;




- Material: cold-rolled steel
- Slide width: 45mm
- Slide thickness: 12.7mm
- Max load: 30 KG
- Length from 250-750mm
- Material thickness: 1.5x1.2x1.2mm

Order information


NL	Item No.	Package	Remark
250	BB04-250	10 sets	Package includes * Left & right drawer slide
300	BB04-300	10 sets	
350	BB04-350	10 sets	
400	BB04-400	10 sets	
450	BB04-450	10 sets	
500	BB04-500	10 sets	
550	BB04-550	10 sets	
600	BB04-600	10 sets	
650	BB04-650	10 sets	
700	BB04-700	10 sets	

Technical information


Installation dimensions



Drawer



Inset drawer



Legend

LW	Internal cabinet width	L	Length	SKL	Length of drawer	X	Thickness of door
NL	Nominal length	KB	Cabinet width	LT	Minimum installation depth	FEC	Front edge of cabinet

BB drawer slide - BB12

45mm; Full extension; Soft-close; 1.2x1.0x1.0




- Material: cold-rolled steel
- Slide width: 45mm
- Slide thickness: 12.7mm
- Max load: 30 KG
- Length from 250-600mm
- Material thickness: 1.2x1.0x1.0mm

Order information

NL	Item No.	Package	Remark
250	BB12-250	15 sets	Package includes * Left & right drawer slide
300	BB12-300	15 sets	
350	BB12-350	15 sets	
400	BB12-400	15 sets	
450	BB12-450	15 sets	
500	BB12-500	15 sets	
550	BB12-550	15 sets	
600	BB12-600	15 sets	


Technical information

Installation dimensions




Size	A	B	C	D	E	F	G
250mm	250	240		160			190
300mm	300	290	64	224			255
350mm	350	340	96	256	128		340
400mm	400	390	128	320	192		400
450mm	450	440	160	352	224		450
500mm	500	490	192	416	256		500
550mm	550	540	224	448	224	320	550
600mm	600	590	224	612	224	352	600


Drawer dimension



Drawer



Inset drawer



Legend

LW	Internal cabinet width	L	Length	SKL	Length of drawer	X	Thickness of door
NL	Nominal length	KB	Cabinet width	LT	Minimum installation depth	FEC	Front edge of cabinet

BB drawer slide - BB14

45mm; Full extension; 1.2x1.0x1.0




- Material: cold-rolled steel
- Slide width: 45mm
- Slide thickness: 12.7mm
- Max load: 30 KG
- Length from 250-600mm
- Material thickness: 1.2x1.0x1.0mm

Order information

NL	Item No.	Package	Remark
250	BB14-250	15 sets	Package includes * Left & right drawer slide
300	BB14-300	15 sets	
350	BB14-350	15 sets	
400	BB14-400	15 sets	
450	BB14-450	15 sets	
500	BB14-500	15 sets	
550	BB14-550	15 sets	
600	BB14-600	15 sets	


Technical information

Installation dimensions




Size	A	B	C	D	E	F	G
250mm	250	245	133.5		160		250
300mm	300	295	174.5	128	224		300
350mm	350	345	96	128	224		350
400mm	400	395	128	160	224	228	400
450mm	450	445	160	292	224		450
500mm	500	495	192	224	224	416	500
550mm	550	545	224	224	224	416	550
600mm	600	595	256	256	224	480	600


Drawer dimension



Drawer



Inset drawer



Legend

LW	Internal cabinet width	L	Length	SKL	Length of drawer	X	Thickness of door
NL	Nominal length	KB	Cabinet width	LT	Minimum installation depth	FEC	Front edge of cabinet

For more information, please visit CEMUX.COM
or contact us email CEMUX@CEMUX.CO.UK

CEMUX
LIVE YOUR LIFE

CEMUX TECHNOLOGY IRELAND

Kilkeary,
Nenagh,
Co. Tipperary
Ireland
Tel: 00353 67 31471